

Bid Document

Bid Details	
Bid End Date/Time	18-06-2021 18:00:00
Bid Opening Date/Time	18-06-2021 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Coal
Department Name	Materials Management
Organisation Name	Central Coalfields Limited
Office Name	Central Coalfields Limited
Total Quantity	41
Item Category	Executive Table , Public Place Seating Chair , Revolving Chair , Single / Double Bed - Wooden - With / Without Box , Centre Table , Almirah Steel-IS:3312 , Sofas , Storage Rack for Chemicals , clinical cabinets
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	Yes
Primary product category	Executive Table
Time allowed for Technical Clarifications during technical evaluation	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

MII Purchase Preference

MI Purchase Preference	Yes
------------------------	-----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

Executive Table (3 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller

Specification	Specification Name	Bid Requirement (Allowed Values)
	Storage provided	One side
	Keyboard tray	Not provided
	Foot rest	Not Provided
MATERIAL	Table top Material	MDF board of grade SBG II of IS 12406/Latest
	Gable end and modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	Leg Material	NO LEGS
DIMENSION	Thickness of table top ± 2 mm	25.0
	Length of table top ± 10 mm	1650.0
	Depth of table ± 10 mm	750.0
	Height of table ± 10 mm	750.0
	Dimension of leg(mmXmm) ± 5 mm	No legs
STORAGE UNIT	Number of Storage unit provided	Single storage
FOOTREST	Material thickness of footrest ± 2 mm	N.A
WARRANTY	Warrantee period in number of years	1
CERTIFICATION	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mridula Kumari	834008,Gandhinagar Hospital CCL, Kanke Road	3	30

Public Place Seating Chair (2 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Style	with arm and backrest
	Seating Capacity (Nos)	5
MATERIAL	Material of Main Frame	SS 304
	Material of Seat and Backrest	SS 304
	Material of Arms	SS 304
	Material of Legs	SS 304
DIMENSION	Overall Length in mm (±10 mm)	2000
	Overall Depth in mm (±5 mm)	400
	Overall Height in mm (±5 mm)	450
CERTIFICATION	Conforming to International Standard for Public Seating (*BIFMA X 5 dot 4 or equivalent)	NO
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mridula Kumari	834008,Gandhinagar Hospital CCL, Kanke Road	2	30

Revolving Chair (10 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	Proppylene
	seat material	PU Foam covered with Fabric
	Material of Fabric Back Cover / Material for Backrest	100% polyester fabric
	Material of Fabric of Seat Cover	100% polyester fabric
GENERAL	Chair Type	push back
	Height Adjustment \pm 5(mm)	up to 100 mm
	Arm	With
	Type of backrest support	backrest symmetrical lumber support
	Arm Type	Fixed
	Ergonomic Seat Design	Yes
	Back type	push back
	backrest has separate adjustable headrest	No
	Seat type	fixed
	Number of arm movement	N.A
	Lumber support	N.A
DIMENSION	Overall Chair Height \pm15mm	860
	Backrest Height \pm15mm	460.0
	Backrest Width \pm10mm	410.0
	Seat Height \pm15 mm	420
	Seat Width \pm10 mm	440
	Seat Depth \pm10 mm	400.0
	Thickness of MS Plate Joining the under structure with Seat	1.2
	Thickness of Plywood used in Seat \pm1(mm)	12 mm
	Thickness of Plywood used in Backrest \pm 1(mm)	12 mm
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	40 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	40 mm

Specification	Specification Name	Bid Requirement (Allowed Values)
WARANTEE	Warrantee period in number of years	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	NO
	Aiota	YES

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mridula Kumari	834008,Gandhinagar Hospital CCL, Kanke Road	10	30

Revolving Chair (3 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Electro Coated with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	steel covered with polyurethane
	seat material	PU Foam covered with Fabric
	Material of Fabric Back Cover / Material for Backrest	100% polyester fabric

Specification	Specification Name	Bid Requirement (Allowed Values)
	Material of Fabric of Seat Cover	100% polyester fabric
GENERAL	Chair Type	push back
	Height Adjustment ± 5(mm)	up to 120 mm
	Arm	With
	Type of backrest support	backrest symmetrical lumber support
	Arm Type	Fixed
	Ergonomic Seat Design	Yes
	Back type	push back
	backrest has separate adjustable headrest	No
	Seat type	fixed
	Number of arm movement	N.A
	Lumber support	N.A
DIMENSION	Overall Chair Height ±15mm	860
	Backrest Height ±15mm	460.0
	Backrest Width ±10mm	440.0
	Seat Height ±15 mm	420
	Seat Width ±10 mm	480
	Seat Depth ±10 mm	500.0
	Thickness of MS Plate Joining the under structure with Seat	1.2
	Thickness of Plywood used in Seat ±1(mm)	12 mm
	Thickness of Plywood used in Backrest ± 1(mm)	12 mm
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	45 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	35 mm
WARANTEE	Warrantee period in number of years	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES

Specification	Specification Name	Bid Requirement (Allowed Values)
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	NO
	Aiota	YES

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mridula Kumari	834008,Gandhinagar Hospital CCL, Kanke Road	3	30

Single / Double Bed - Wooden - With / Without Box (1 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Material of Mattresses Panel	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	Material of Bottom Panel of Storage Box	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	Material of Front, Back and side Panels	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	Material of Headrest	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	Material of Legrest	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
GENERIC	Type of Bed	Wooden Single Bed
	Material of Bed Frame	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	Hydraulic System provided for Opening	No
DIMENSIONS	Mattress Fixing Width ±10 (mm)	915

Specification	Specification Name	Bid Requirement (Allowed Values)
	Thickness of material of Headrest ± 2 (mm)	18
	Overall Height of Legrest ± 5 (mm)	450
	Overall Length of Legrest ± 10 (mm)	915
COLOUR & FINISHING	Finish	Laminated
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	2

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mridula Kumari	834008,Gandhinagar Hospital CCL, Kanke Road	1	30

Centre Table (1 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Top material	Tempered glass
	Frame material	Other wood
GENERIC	Number of storage under top	Single storage in bottom portion
DIMENSION & THICKNESS	Dimension of Top (length X Breadth) ± 20mm	1194mmX584mm
	Height of centre table ± 10 mm	380.0
	Thickness of top material (+/-2 mm)	8.0
	Thickness of frame material (+/- 1 mm)	12.0

Specification	Specification Name	Bid Requirement (Allowed Values)
WARRANTY	Warranty period in number of years	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mridula Kumari	834008,Gandhinagar Hospital CCL, Kanke Road	1	30

Almirah Steel-IS:3312 (4 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Material	M.S sheet conforming to commercial quality CR-1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	M S Sheet
	Sheet Thickness of Locker	N.A
	Length of Glass Sheet ±10 (mm)	N.A
	Width of Glass Sheet ±10 (mm)	N.A
	Sheet Thickness of door in mm	0.8 mm (Minimum)
	Sheet Thickness of sides,back , Top and Bottom	0.9 mm
	Sheet Thickness of Shelves	0.7 mm
	Sheet Thickness of Pedestal in mm	0.9 mm
	Material of Lock	lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle
	Material of Keys	keys made of MAZAK / ZAMAK having nickle plated finish

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Conformity to Indian Standard IS:3312 latest	No
	No of shelves (Nos)	4
	Type of Shelves	Adjustable
	Locker Provided	No
	Locking System with the locker	NA
	Number of Doors (Nos)	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	4
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A
	Construction	Welded
	Lock	Three Way bolting device controlled by 6 lever lock
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1800
	Width in mm (± 7 mm)	910.0
	Depth in mm (± 5 mm)	486.0
	Inside Height of Locker in mm (± 5 mm)	N.A
	Inside Width of Locker in mm (± 5 mm)	N.A
	Inside Depth of Locker in mm (± 5 mm)	N.A
	Width of Stiffner in mm (± 5 mm)	115 mm
	Thickness of MS Sheet of Stiffner (in mm)	0.9 mm
	Stiffened Pedestal height in mm (± 2 mm)	120
	Pedestal Width in mm (± 2 mm)	70
COLOUR & FINISH	Finish	powder coated
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mridula Kumari	834008,Gandhinagar Hospital CCL, Kanke Road	4	30

Sofas (2 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Unbranded
------------	-----------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Material	Frame Structure Material and size (± 1 mm)	MILD STEEL STRUCTURE
	Seat Cushion Material	foam
	Type of Spring in the Base / Seating	web suspension
Generic	Total Number of Seats in the Sofa Set (Nos)	5
	Number of Single Seater Units (Nos)	2
	Number of Two Seater Units (Nos)	NO TWO SEATER UNIT
	Number of Three Seater Units (Nos)	1
	Number of Four Seater Units (Nos)	NO FOUR SEATER UNITS
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Covering Material for Seat and Backrest	Leatherite
Dimension	Length of Single Seater Units in mm (± 5 mm)	570
	Length of Two Seater Units in mm (± 10 mm)	N.A
	Length of Three Seater Units in mm (± 10 mm)	1850

Specification	Specification Name	Bid Requirement (Allowed Values)
	Length of Four Seater Units in mm (±10 mm)	N.A
	Depth of Sofa Units in mm (±10 mm)	530
	Sofa Height (Without Back Cushion) ±5 (mm)	500.0
	Sofa Height (With Back Cushion) ±5 mm	850.0
	Seat Cushion Length ±5 (mm)	740
	Seat Cushion Width ±5 (mm)	585
	Seat Cushion Thickness ±5 (mm)	90
	Backrest Cushion Length ±5 (mm)	740
	Backrest Cushion Width ±5 (mm)	710
Warranty	WARRANTY PERIOD IN NUMBER OF YEARS	2

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mridula Kumari	834008,Gandhinagar Hospital CCL, Kanke Road	2	30

Storage Rack For Chemicals (3 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Cabinet completely made up from	1 mm thick G.I sheet with high corrosion resistant

Specification	Specification Name	Bid Requirement (Allowed Values)
	Top portion of cabinet shelves are covered with corrosion resistant sheet of	Stainless steel
	Corrosion Resistant Non Metallic material for Walls of exhaust duct passage	Graphite
	Handles	SS 202 Handles
GENERIC	Doors locking arrangement	Cam lock with lock lever at the bottom of the door
	Total number of compartments	5
	Load carrying capacity of shelves	Up to 75 Kgs UDL (uniformly distributed load)
	Number of fixed shelves	3
	Number of adjustable shelves	5 (at 32 mm increments)
	For easy alignment to compensate for uneven floor	Adjusting aids should be integrated inside the cabinet
	Cabinet on castors	No
DIMENSION	Width \pm 10 mm	900 mm
	Depth \pm 10 mm	540 mm
	Height \pm 10 mm	1830 mm
WARRANTY	Warranty period in years	3 Or higher
CERTIFICATION	Test reports to be furnished to buyer on demand	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes
	OEM of offered product is ISO 14001:2015 certified	Yes
	OEM of offered product is ISO 18001:2007 certified	Yes

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mridula Kumari	834008,Gandhinagar Hospital CCL, Kanke Road	3	30

Clinical Cabinets (12 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
DIMENSIONS	Overall depth range (mm)	375 mm(+/-2.5 %)
	Overall Width range (mm)	425 mm(+/-2.5%)
	Overall Height range (mm)	820 mm (+/- 2.5%)
CONFIGURATION DETAILS	Painting	Powder Coating
	Type of slide of drawer	Fitted With Telescopic Channel
	Material of Enclosure of bedside locker	Stainless steel
	Material of cabinet and Drawer	Mild steel
	Locking system for cabinet and drawer	No
FEATURES	Number of Shutters	1
	Number of Open shelves	2
	Number of Shelves	1
	Finish	EPOXY
FRAME TUBE	Frame Tube Material	MILD STEEL

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Mridula Kumari	834008,Gandhinagar Hospital CCL, Kanke Road	12	30

Special terms and conditions-Version:2 effective from 03-06-2021 for category Executive Table

1.

Special terms and conditions-Version:2 effective from 21-04-2021 for category Revolving Chair

1.

Special terms and conditions-Version:1 effective from 21-04-2021 for category Centre Table

1.

Special terms and conditions-Version:1 effective from 19-04-2021 for category Almira Steel-IS:3312

1.

Special terms and conditions-Version:1 effective from 03-09-2020 for category clinical cabinets

1. 1. Comprehensive warranty:

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them .

4. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.

5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category

parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software:

All software updates should be provided free of cost during warranty period.

Buyer Added Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions.](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---